

- [17] D. P. Serrano, J. Aguado, J. M. Escola, and E. Garagorri, "Performance of a continuous screw kiln reactor for the thermal and catalytic conversion of polyethylene-lubricating oil base mixtures," *Appl. Catal B*, vol. 44, pp. 95-105, 2003.
- [18] T. ar Bhaskar, T. Matsui, M. A. Uddin, J. Kaneko, A. Muto, and Y. Sakata, "Effect of Sb₂O₃ in brominated heating impact polystyrene (HIPS-Br) on thermal degradation and debromination by iron oxide carbon composite catalyst (Fe-C)," *Appl. Catal B*, vol. 43, pp. 229-241, 2003.
- [19] W. J. Hall and P. T. Williams, "Fast pyrolysis of halogenated plastics recovered from waste computers," *Energy Fuel*, vol. 20, pp. 1536-1549, 2006.
- [20] M. Blazso, Z. Czege, and C. Csoma, "Pyrolysis and debromination of flame retarded polymers of electronic scrap studied by analytical pyrolysis," *J Anal Appl. Pyrolysis*, vol. 64, pp. 249-261, 2002.
- [21] G. Grause, J. Ishibashi, T. Kameda, T. Bhaskar, and T. Yoshioka, "Kinetic studies of the decomposition of flame retardant containing high-impact polystyrene," *Polym Degrad Stab*, vol. 95, pp.1129-1137, 2010.
- [22] N. Morita, M. Nakayasu, A. T. Saito, T. Wajima, and H. Nakagome, "Effect of hydrotalcite on bromine content in oil produced from the pyrolysis of acrylonitrile-butadiene-styrene plastics," *International Journal of Chemical Engineering and Applications*, vol. 7, no. 4, pp. 23-27, 2016.
- [23] N. Morita, A. T. Saito, T. Wajima, and H. Nakagome, "Halogen reduction in pyrolysis oil from bromine-containing plastics using hydrotalcite," *Advances in Environment Research*, vol. 87, pp. 54-61, 2015.
- [24] N. Morita, T. Wajima, and H. Nakagome, "Reduction in content of bromine compounds in the product oil of pyrolysis using synthetic hydrotalcite," *International Journal of Chemical Engineering and Applications*, vol. 6, no. 4, pp. 262-266, 2015.
- [25] T. Kameda, M. Nakamura, and T. Yoshioka, "Removal of antimonate ions from an aqueous solution by anion exchange with magnesium-aluminum layered double hydroxide and the formation of a brandholzite-like structure," *Journal of Environmental Science and Health, Part A*, vol. 47, pp. 1146-1151, 2012.
- [26] K. Morimoto, S. Anraku, J. Hoshino, T. Yoneda, and T. Sato, "Surface complexation reactions of inorganic anions on hydrotalcite-like compounds," *Journal of Colloid and Interface Science*, vol. 384, pp. 99-104, 2012.
- [27] Y. Sun, "Catalytic oxidation performances of typical oxygenated volatile organic compounds (acetone and acetaldehyde) over MAIO (M= Mn, Co, Ni, Fe) hydrotalcite-derived oxides," *Catalysis Today*, vol. 327, pp. 389-397, 2019.
- [28] R. M. Navarro, "Catalytic fast pyrolysis of biomass over Mg-Al mixed oxides derived from hydrotalcite-like precursors: Influence of Mg/Al ratio," *Journal of Analytical and Applied Pyrolysis*, vol. 134, pp. 362-370, 2018.

Copyright © 2021 by the authors. This is an open access article distributed under the Creative Commons Attribution License which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)).



Kimi Hanazawa was born in Japan in 2002. She is studying environmental engineering and environmental management at Tokyo Metropolitan High School of Science and Technology.



Moemi Toritsuka was born in Japan in 2002. She is studying environmental engineering and environmental management at Tokyo Metropolitan High School of Science and Technology.



Naoyuki Morita was born in Japan in 1977. He graduated from the School of Engineering, Chiba University, and thereafter, received a doctorate in 2016. His specialties are chemical engineering and environmental engineering. Currently he teaches environmental engineering in high school.