

- [18] S. Pourkarimi, A. Hallajisani, A. Alizadehdakhl, and A. Nouralishahi, "Biofuel production through micro- and macroalgae pyrolysis—A review of pyrolysis methods and process parameters," *Journal of Analytical and Applied Pyrolysis*, vol. 142, 104599, 2019.
- [19] D. S. Bajwa, T. Peterson, N. Sharma, J. Shojaeiarani, and S. G. Bajwa, "A review of densified solid biomass for energy production," *Renewable and Sustainable Energy Reviews*, vol. 96, pp. 296–305, 2018.
- [20] M. Nakayasu, N. Morita, Y. Kawabata, T. Wajima, and H. Nakagome. "Effect of additives in the thermal decomposition of the Japanese cedar," *International Journal of Environmental Science and Development*, vol. 8, no. 5, 2017.
- [21] J. B. Gujar, M. A. Chaudhari, D. S. Kawade, and M. S. Shingare, "Molecular sieves: An efficient and reusable catalyst for multi-component synthesis of dihydropyrano [2,3-C]pyrazole derivatives," *Tetrahedron Letters*, vol. 55, pp. 6030–6033, 2014.
- [22] A.V. Bridgwater "Cottam, Energy Fuels," vol. 6, no. 2, pp. 113120, 1992.
- [23] E. Churin, *Catalytic Treatment of Pyrolysis Oils*, Cat. No. CD-NA-12480-EN-C, The Commission of the European Communities, Luxembourg, 1990.
- [24] J. B. Gujar, M. A. Chaudhari, D. S. Kawade, and M. S. Shingare, "Molecular sieves: An efficient and reusable catalyst for multi-component synthesis of dihydropyrano [2,3-C]pyrazole derivatives," *Tetrahedron Letters*, vol. 55, pp. 6030–6033, 2014.
- [25] H. Ren, H. Lei, L. Wang, Q. Bu, S. Chen, and J. Wu, "Thermal behaviour and kinetic study for woody biomass torrefaction and torrefied biomass pyrolysis by TGA," *Biosystems Engineering*, vol. 116, pp. 420–426, 2013.
- [26] C. Couhert, J-M. Commandre, and S. Salvador, "Is it possible to predict gas yields of any biomass after rapid pyrolysis at high temperature from its composition in cellulose, hemicellulose and lignin?" *Fuel*, vol. 88, pp. 408–41, 2009.
- [27] S. Katano, "Recovery of Tantalum sintered compact from used Tantalum condenser using steam gasification with Sodium hydroxide," *APCBEE Procedia*, vol. 10, pp. 182–186, 2014.
- [28] N. Morita, M. Nakayasu, A. T. Saito, T. Wajima, and H. Nakagome, "Effect of hydrotalcite on Bromine content in oil produced from the pyrolysis of Acrylonitrile-Butadiene-Styrene Plastics," *International Journal of Chemical Engineering and Applications*, vol. 7, no. 4, pp. 23–27, 2016.
- [29] T. Kameda, M. Nakamura, and T. Yoshioka, "Removal of antimonate ions from an aqueous solution by anion exchange with Magnesium–Aluminum layered double hydroxide and the formation of a brandholzite-like structure," *Journal of Environmental Science and Health, Part A*, vol. 47, pp. 1146–1151, 2012.
- [30] N. Morita, M. Nakayasu, Y. Kawabata, and H. Nakagome. "Influence of molecular sieves is added in the thermal decomposition of rice husk," *International Journal of Environmental Science and Development*, vol. 8, no. 5, 2017.
- [31] R. Hanazawa, K. Nakamura, H. Kawaraya, R. Shimizu, and N. Morita, "Effects of additives on gasification of unused cedar wood by pyrolysis," *International Journal of Chemical Engineering and Applications*, vol. 13, no. 3, 2022.
- [32] H. B. Goyal, D. Seal, and R. C. Saxena "Bio-fuels from thermochemical conversion of renewable resources: a review," *Renew Sustain Energy Rev.*, vol. 12, pp. 504–17, 2008.
- [33] T. Kameda, M. Nakamura, T. Yoshioka, "Removal of antimonate ions from an aqueous solution by anion exchange with Magnesium–Aluminum layered double hydroxide and the formation of a brandholzite-like structure," *Journal of Environmental Science and Health, Part A*, vol. 47, pp. 1146–1151, 2012.

Copyright © 2024 by the authors. This is an open access article distributed under the Creative Commons Attribution License which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited ([CC BY 4.0](https://creativecommons.org/licenses/by/4.0/)).